

CSIR • CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE, KOLKATA

Walk-in Interview

1 Post

Project Basis

Project Associate-I (PAT-I) Recruitment 2026

Advt. No. 58/2627/BMDD/OLP2320/BK | Post Code: 58/2627/01

LAST DATE TO APPLY (EMAIL)

03 November 2026 Application with
documents via email

WALK-IN INTERVIEW

05 November 2026 From 11:00 AM • Report
by 10:00 AM

POST

PA-I

1 vacancy

STIPEND

25,000

per month + HRA

TENURE

1 Year

extendable to 31.03.2031

Project Details

Project No.: OLP2320 • **Sponsor:** Council of Scientific & Industrial Research (CSIR)

Development of advanced bioceramic and bioactive glass based multi-functional systems for orthopedic reconstruction, dental restoration and wound healing applications

Tenure: initially 1 year, extendable up to 31.03.2031 subject to availability of funds.

Qualification

ESSENTIAL

M.Sc. in Chemistry (Physical / Inorganic) / Applied Chemistry / Materials Science / Microbiology with at least 55% marks or equivalent CGPA/DGPA.

OR

ESSENTIAL

B.E. / B.Tech. / M.E. / M.Tech. in Materials Science / Material Science & Metallurgical Engineering / Metallurgical Engineering / Ceramics / Chemical / Biotechnology / Biomedical Engineering.

DESIRABLE

Experience in materials synthesis or manufacturing and physical / chemical / biological testing of materials will be given preference.

Age Limit (as on date of interview)

35 Years

Upper age limit

+5 Years

SC / ST / PH / Female

+3 Years

OBC (Non-Creamy Layer)

How to Apply

- Send a typed (not hand-written) copy of the duly filled Application Form in the prescribed format, with self-attested copies of all supporting documents, to **recruitment.cgcri@csir.res.in**.
- Separate application is required if applying for more than one position / advertisement.
- Bring original marksheets, certificates, age and caste proof, and self-attested copies of all documents (and project thesis, if any) to the interview.
- Report at least **one hour before** the scheduled time. No candidate is allowed to enter after reporting

time.

- Candidates currently engaged in any project must furnish a copy of NOC from their existing Project Leader.

Please note: Incomplete applications will be summarily rejected. Candidates with results awaited are not eligible. Percentage must be calculated from CGPA/DGPA as per the university / institute rule (self-attested copy of the rule to be attached). The Institute may increase or decrease the number of positions, and its decision is final.

Venue: CSIR-CGCRI, 196 Raja S. C. Mullick Road, Kolkata – 700032

Apply by Email

View Notification PDF

**Download Application
Form**

Source: CSIR-CGCRI official advertisement. Please verify details on the official website before applying.